

获取默认联系人详细信息

目录[\[Hide\]](#)

- 1. 描述
- 2. 参数
- 3. HTTP 方式
- 4. 测试 URL 请求范例
- 5. 返回值

描述 [Top](#)

获取客户默认联系人详细信息

参数 [Top](#)

名称	数据类型	必须/ 可选	描述
auth-userid	整数	必须	认证参数，代理商 ID 号
api-key	字符串	必须	认证参数，APIKEY
customer-id	整数	必须	您要获取默认联系人信息的客户 ID 号
type	字符串 列	必须	返回的默认联系人联系，可以下列一种或多种: <i>Contact, CoopContact,UkContact, EuContact, CnContact, Contact, DeContact, EsContact.</i>

HTTP 方法 [Top](#)

POST

Example Test URL [Top](#)

`https://test.httpapi.com/api/contacts/default.json?auth-userid=0&api-key=key&customer-id=0&type=Contact&type=CnContact`

Response 返回值 [Top](#)

返回值包含以下您请求的每一类联系人类型的默认联系人详细信息

-

registrantContactDetails / adminContactDetails / techContactDetails / billingContactDetails:

-

-

Contact ID (entity.entityid)

-

-

Name (contact.name)

-

-

Company (contact.company)

-

-

Contact Type (contact.type)

-
-

Email Address (contact.emailaddr)

-
-

Telephone Number Country Code (contact.telno)

-
-

Telephone Number (contact.telno)

-
-

First line of address of the Contact (contact.address1)

-
-

Second line of address of the Contact (contact.address2)

-
-

Third line of address of the Contact (contact.address3)

-
-

City (contact.city)

-

-

State (contact.state)

-

-

Country Code (contact.country)

-

-

ZIP Code (contact.zip)

-

-

Current Status in the System (entity.currentstatus)

-

-

Creation Date in the System (contact.creationdt)

-

-

Creation Date at the Registry (contact.timestamp)

-

-

Customer ID associated with the Contact (entity.customerid)

-

-

Registrant Contact ID (registrant)

-
-

Admin Contact ID (admin)

-
-

Tech Contact ID (tech)

-
-

Billing Contact ID (billing)

-
-

Contact Type (type)

-

如出现任何错误，状态会返回值为 **Error** 并附带一条错误信息