

获取客户的 Greedy 交易

[目录 \[Hide\]](#)

1. 描述
2. 参数
3. HTTP 方法
4. 测试 URL 请求范例
5. 返回值

描述 [Top](#)

获取指定客户的 Greedy 交易以及交易信息

参数 [Top](#)

名称	数据类型	必填 / 可选	描述
auth-userid	整数	必填	验证参数 代理商 ID
api-key	字符串	必填	验证参数 API KEY
customer-id	整数	必填	客户 ID

HTTP 方法 [Top](#)

GET

测试 URL 请求范例 [Top](#)

```
https://test.httppapi.com/api/billing/customer-greedy-transactions.xml?auth-userid=0&api-key=key&customer-id=0
```

返回值 [Top](#)

Returns a hash map of the Customer's Transactions containing the below details:

返回值映射客户交易包含如下信息:

- Transaction Id (customer_transaction.transid) 交易 ID
- Transaction Date (customer_transaction.transactiondate) 交易日期
- Transaction Type (customer_transaction.type) 交易类型
- Transaction Description (customer_transaction.description) 交易描述

- Whether Transaction is Greedy (greedy) 交易是否 Greedy
- Customer Id Associated with the Transaction (customer_transaction.customerid) 与交易相关联的客户 ID
- Selling Currency Symbol of the Parent Reseller (customer_transaction.sellingcurrencysymbol) 父级账号的销售货币单位
- Transaction Amount in the Selling Currency (customer_transaction.sellingamount) 以销售货币为单位的交易额
- Unutilised Transaction Amount in the Selling Currency (customer_transaction.unutilisedsellingamount) 以销售货币为单位的未用交易额
- Accounting Currency Symbol of the Parent Reseller (customer_transaction.accountingcurrencysymbol) 父级账号的记账货币单位
- Transaction Amount in the Accounting Currency (customer_transaction.accountingamount) 以记账货币为单位的交易额
- Unutilised Transaction Amount in the Accounting Currency (customer_transaction.unutilisedaccountingamount)以记账货币为单位的未用交易额
- 如出现任何错误，状态会返回值为 **Error** 并附带一条错误信息