

Add 添加套餐

目录 [\[Hide\]](#)

- 1. 描述
- 2. 参数
- 3. HTTP 方法
- 4. 测试 URL 请求范例
- 5. 返回值

描述 [Top](#)

为指定域名购买 Linux 单站点主机

参数 [Top](#)

名称	数据类型	必填 / 可选	描述
auth-userid	整数	必填	验证参数 代理商 ID
api-key	字符串	必填	验证参数 APIKEY
domain-name	字符串	必填	订购主机的域名
customer-id	整数	必填	客户 ID
months	整数	必填	订单购买时间/月
plan-id	整数	必填	套餐 ID。 获取套餐信息使用 这一方法
enable-ssl	Boolean	可选	值可为: <i>true</i> 或 <i>false</i> (默认)。 了解更多 , 点击这里
invoice-option	字符串	必填	该参数决定了客户发票将如何处理。值可为: <i>NoInvoice</i> , <i>PayInvoice</i> , <i>KeepInvoice</i> , <i>OnlyAdd</i>

HTTP 方法 [Top](#)

POST

测试 URL 请求范例 [Top](#)

US Server

```
https://test.httppapi.com/api/singledomainhosting/linux/us/add.json?auth-userid=0&api-key=key&domain-name=name&customer-id=0&months=0&plan-id=0&invoice-option=NoInvoice
```

UK Server

```
https://test.httppapi.com/api/singledomainhosting/linux/uk/add.json?auth-userid=0&api-key=key&domain-name=name&customer-id=0&months=0&plan-id=0&invoice-option=NoInvoice
```

India Server

```
https://test.httppapi.com/api/singledomainhosting/linux/in/add.json?auth-userid=0&api-key=key&domain-name=name&customer-id=0&months=0&plan-id=0&invoice-option=NoInvoice
```

返回值 [Top](#)

返回值包含订单的执行信息

