

获取客户价格

- 1.描述
- 2.返回值

描述 [Top](#)

用这一方法获取 Linux 多站点主机套餐的价格信息

返回值 [Top](#)

返回值包含 Linux 多站点主机套餐的和其他产品的价格

Linux 多站点主机返回值的结构为:

```
"productkey": { "planid": { "action": { "tenure-in-months":price }, "ssl":price } }
```

范例:

US Server

```
"multidomainhosting": { "1": { "renew": { "3":0.0, "12":0.0 }, "ssl":0.0, "add": { "3":0.0, "12":0.0 } }, "2": { "renew": { "3":0.0, "12":0.0 }, "add": { "3":0.0, "12":0.0 } } }
```

UK Server

```
"multidomainhostinglinuxuk": { "1": { "renew": { "3":0.0, "12":0.0 }, "ssl":0.0, "add": { "3":0.0, "12":0.0 } }, "2": { "renew": { "3":0.0, "12":0.0 }, "add": { "3":0.0, "12":0.0 } } }
```

India Server

```
"multidomainhostinglinuxin": { "1": { "renew": { "3":0.0, "12":0.0 }, "ssl":0.0, "add": { "3":0.0, "12":0.0 } }, "2": { "renew": { "3":0.0, "12":0.0 }, "add": { "3":0.0, "12":0.0 } } }
```